# Eaton DSD922 S769

## Catalog Number: DSD922 S769

Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly, 10A, Green/red, Feraloy iron alloy, 2 circuits start-stop, 2 buttons, Maintained red emergency "STOP" button with lockout, factory sealed, 600 Vac

#### General specifications

Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly

Product Length/Depth

8 in

Product Width

6.25 in

Catalog Number

DSD922 S769

UPC

662276041592

Product Height

4.75 in

**Product Weight** 

3.63 lb



### defaultTaxonomyAttributeLabel

#### Area classification

Hazardous/Classified Locations

#### Standards type

NEC/CEC

#### NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

#### **NEMA Rating**

3

7

9

#### Amperage Rating

10A

#### Color

Green/red

#### Material

Feraloy iron alloy

#### Normal position

2 circuits start-stop

#### Number of cover buttons

2

#### Voltage rating

600 Vac

#### Special features

Maintained red emergency "STOP" button with lockout, factory sealed

#### Resources

#### Specifications and datasheets

Eaton Specification Sheet - DSD922 S769



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia